How to use the Madrigal database for atmospheric science

Bill Rideout
MIT Haystack Observatory
brideout@haystack.mit.edu

2020 ISR School On-line

Outline

- What is Madrigal?
- What is the CEDAR database format?
 - Exercise open a file with Hdfview
- In what formats can I get Madrigal data?
- How do I use Madrigal?
 - Background
 - The website
 - Exercise use the website
 - Script data access
 - Exercise write a script

What is Madrigal?

Madrigal is a distributed database

Madrigal DB



Madrigal DB



Madrigal DB



Madrigal DB



Madrigal DB



Shared metadata

Madrigal DB



ARECIBO OBSERVATORY
THE WILLIAM E. GORDON TELESCOPE
ARECIBO PUERTO RICO

Madrigal DB



Madrigal DB



Madrigal DB



Madrigal DB



Cedar Madrigal archive imports all data weekly

Madrigal DB



Madrigal DB






Madrigal DB



Madrigal DB



The Madrigal database stores data from a wide variety of upper atmosphere research instruments

Incoherent Scatter Radar

TEC via GPS

MF Radar







Examples of number of instruments in Madrigal:

- Incoherent scatter radars: 22
- MST radars: 3
- MF radars: 16
- Meteor radars: 11
- FPI: 32
- Michelson Interferometers: 6
- Lidars: 9
- Photometers: 7

Other examples:

- GPS TEC
- DMSP

Madrigal is open-source

CEDAR Home Access data - Access metadata - Run models - Documentation Other Madrigal sites - OpenMadrigal

Welcome to the Madrigal3 CEDAR Database


Madrigal is an upper atmospheric science database used by groups throughout the world. Madrigal is a robust, Wind Wide Web based system capable of managing and serving archival and real-time data, in a variety of formats, from a wide range of upper atmospheric science instruments. Data at each Madrigal site is locally controlled and can be updated at any time, but shared may data between Madrigal sites allow searching of all Madrigal sites at once from any Madrigal site.


To see a list of all Madrigal sites, use the Other Madrigal sites pull down menu. Data can also be accessed directly, using APIs which are available for several popular programming languages (Matlab, python, and IDL). A Subversion archive of all Madrigal software and documentation is available from the Open Madrigal Web site. The latest version of Madrigal and the remote API's may also be downloaded from there.

Use of the Madrigal Database is generally subject to the CEDAR Rules-of-the-Road. Profession to access the data is not required. However, the use is required to establish early contact with any organization whose data are involved in the project to discuss the intended usage. Data are often subject to limitations which are not immediately evident to new users. Before they are formally submitted, draft copies of all reports and publications must be sent to the contact beliefly at all data supplying organizations using the profession of populations are provided that the provided data. This offer may be declined. The Devolution of the provided data. This offer not be applied to a contact which are not all data supplying organizations along with an effect of populations.

available through another database. If you have any questions about appropriate use of these data, contact brideout@haystack.mit.edu

If you want to use the old Madrigal 2 version of the CEDAR Madrigal databse, it is still temporarily available at http://madrigal.haystack.mit.edu. If you are using the old version because of a problem with Madrigal3, please contact brideout@haystack.mit.edu to describe the issue.






What is the CEDAR database format?

Well defined parameters


- Standard descriptions of all parameters
- Allows the existence of derivation engine
- Madrigal allows extended descriptions
- All parameters have corresponding error parameters
- Missing, Assumed

Cedar file data model



Cedar file format: Structured Hdf5

- Self-describing all parameters defined, notes added
- Scientific standard
- Parms float, integers or strings
- Table Layout, Array Layout possible if repeating independent parms



Exercise: use hdfview to examine Madrigal files

- Go to https://tinyurl.com/2020ISR
- Go down to Monday Madrigal exercise 1
- Install hdfview (https://www.hdfgroup.org/downloads/hdfview/) link also on web page
- Download example Poker Flat and Millstone ISR files with hdfview

In what formats can I get Madrigal data?

Madrigal outputs

Underlying format	Hdf5
	A
Output formats	Ascii, Hdf5,
	netCDF4
Formats	Ascii, Hdf5,
with deriv	netCDF4
parms	

What do I need to understand about Madrigal to use it?

Madrigal Data Model

Madrigal site


(typically a facility with scientists and a Madrigal installation)



Data shared among all Madrigal sites

Instruments

(ground-based, typically with a set location)



Experiments

(typically of limited duration, with a single contact)



Experiment Files

(represents data from one analysis of the experiment)



Data unique to one

Madrigal site

Records

(measurement over one period of time)



Madrigal Derivation Engine

- Derived parameters appear to be in file
- Engine determines all parameters that can be derived
- Easy to add new derived parameters using code written in C or Fortran



Classes of derived parameters

- Space, time
 - Examples: Local time, shadow height
- Geophysical
 - Examples: Kp, Dst, Imf, F10.7
- Magnetic
 - Examples: Bmag, Mag conjugate lat and long, Tsyganenko magnetic equatorial plane intercept
- Models
 - Examples: MSIS, IRI

Using Madrigal

Rules of the road

- If you want to use data in Madrigal in a paper or talk, contact the PI
- The PI is listed on every web page



Use of data without informing PI may lead to seven years of bad luck in grant writing - don't let this happen to you!

How can the Madrigal database be accessed?



User

Welcome to the Madrigal SCEDAR Database

Welcome to the Madrigal SCEDAR Database

Welcome to the Madrigal SCEDAR Database

Madrigal is an upper atmospheric science distabase used by groups throughout the workt. Madrigal is a robust, World Wide Web based system capable of managing and serving archival and real-time data, in a variety of formats, from a wide range of upper atmospheric science instruments. Data ta each Madrigal site is locally controlled and can be updated at any time, but shared metadata between Madrigal sites allow searching of all Madrigal sites at sect Madrigal sites is locally controlled and can be updated at any time, but shared metadata between Madrigal sites allow searching of all Madrigal sites, use the Other Madrigal sites pull down menu. Data can also be accessed directly, using APIs which are available for several popular programming languages (Matsib, python, and ICRL). A Subversion archive of all Madrigal sites are valued to the control of the Madrigal and the remote API's may also be downloaded from there.

Use of the Madrigal Database is generally subject to the CEDAR Rules of-the-Road. Prior permission to access the data is not required. However, the user a required to establish early contact with any organization wrose data are involved in the project to discous the intended usage. Data are often subject to the contact scientist at all data-supplying organizations whose data are involved in the project to discous the intended usage. Data are often subject to the contact scientist at all data-supplying organizations along with an offer of co-authoratip to scientists who have provided data. This offer may be decided. The Database and the organizations that contributed data must be activored specific and publications and publications and and an activities of the Madrigal 2 various of the Programming haystack mit.edu. If you are using the old version because of a problem with Madrigal3, piesse contact bride

Web interface

Web services API

- •From anywhere on internet
- Python API
- Matlab API
- •IDL API

Typical use - data discovery

Create scripts using web interface: 99.9% of time no need to read documentation!


- Faster download files
- More flexible define parameters, filter

Live demo of Madrigal web page

- CEDAR Madrigal site
 - http://cedar.openmadrigal.org

How can I put my instrument's data on Madrigal?

Send data to CEDAR Madrigal



- Send data to MIT Haystack in your own format
- Loading program written by MIT Haystack, verified by you
- Add new data in batch or via automated upload (eg, sftp, web access, etc)



Set up your own Madrigal site




- MIT Haystack will help with installation and writing needed loading programs
- You control when data uploaded
- Automated backup to central CEDAR Madrigal site²³

Remote Access to Madrigal Data

- Use the web interface to write scripts
- Built on web services
- Like the web, available from anywhere on any platform
- Read only API
- Complete Python, Matlab, and IDL
 APIs written (python 2 and 3)
- More APIs available on request or via contribution

Remote Access to Madrigal Data




Live demo of Madrigal script creation page

- CEDAR Madrigal site
 - http://cedar.openmadrigal.org
 - Access Data -> Create a command to download multiple exes

Scripts generated by web site

No need to read any documentation!



Then decide to just download files as they are, or to select parms and/or filters.


Create a script to download files

CEDAR Home	Access data →	Access metadata -	Run models +	Documentation	Other Madrigal sites →	OpenMadrigal			
Create a script command to download a series of existing Madrigal files in the format of your choice									
Choose an instrume	ent category if desi	red:	s	tart date					
Incoherent Scatter Ra	ndars	\$	2	017-01-01					
Choose one instrun		nows data available):	E	nd date					
			2	017-12-31					
Choose scripting la	pace-delimited as	cii netCDF4							
Optional filters: I	kinds of data, ex	periment names, file	e status ≡						
Choose one or mor	e kinds of data:		Filte	r experiments by nan	ne: Filter files by	description:			
All kinds of data lonospheric F-region	on data Electron ar	d lon temperature							
VERTICAL VELOCI		•							
Faraday Doble puls	se Version 1(7-lags								

Generate command

globalDownload.py --verbose --url=http://cedar.openmadrigal.org --outputDir=/tmp --user_fullname="Bill+Rideout" --user_email=brideout@mit.edu --user_affiliation="MIT" --format="hdf5" --startDate="01/01/2017" --endDate="12/31/2017" --ins t=10 --kindat=1040

More advanced globallsprint scripts



TEC data: instrument id = 8000



http://madrigal.iggcas.ac.cn/madrigal/



Show me only data where TEC > 100TECu when Kp > 7 in 2003

Create a script to select parms/filters - globallsprint

CEDAR Home	Access data →	Access metadata →	Run models +	Documentation	Other Madrigal sites -	OpenMadrigal		
Create a script command to download Madrigal data with selected parameters and filters								
Choose an instrum		red:		tart date 2017-01-01				
Choose one instrument (Year range shows data available): Jicamarca IS Radar [1966-2017]				nd date 2017-12-31				
File format to download: • Hdf5 Space-delimited ascii netCDF4								
Choose scripting language: • python • Matlab • IDL								
Select parameters (required) ≡								
Optional filters: kinds of data, filter by parm, experiment names, etc ≡								
Generate command								
globalIsprint.pyverboseurl=http://cedar.openmadrigal.orgparms=YEAR,MONTH,DAY,SEC,VIPE,DVIPEoutput=/tmpu ser_fullname="Bill+Rideout"user_email=brideout@mit.eduuser_affiliation="MIT"startDate="01/01/2017"endDate= "12/31/2017"inst=10kindat=30003								

But if you want to read the docs

- write your own script
- Use python, Matlab, IDL
- Methods
 - getInstrumentsWeb
 - getExperimentsWeb
 - getExperimentFilesWeb
 - getParametersWeb
 - isprintWeb
 - madDownloadFile
 - madCalculatorWeb
- Methods match Madrigal model

Extending/contributing to Madrigal

- Madrigal is completely open source
- See <u>www.openmadrigal.org</u> for CVS
- All new code is Python or C.
 Imported derivation methods
 sometimes in Fortran.
- We appreciate all contributions
 - Suggestions and ideas
 - Finding bugs
 - Code